



CM
TRUCK BEDS®

2019 PRICE GUIDE

WWW.CMTRUCKBEDS.COM

USING YOUR CM TRUCK BEDS RETAIL PRICE BOOK

TERMS OF SALE

All transactions between you, the customer ("Customer") and Contract Manufacturer, LLC. ("CM Truck Beds") are subject to the following General Terms and Conditions:

1. All prices are expressed in United States dollars and do not include freight. Prices are subject to change without notice and prices in effect at time of delivery/shipment will apply. Prices DO NOT include any applicable taxes.
2. Special quotations given on items not shown in CM Truck Beds catalog are valid only for the period specified in writing, or 30 days if no period is specified in writing.
3. Unless otherwise agreed to in writing by CM Truck Beds and Customer, terms are payment on invoice and/or shipping date.
4. Invoices not paid within thirty (30) days of invoice date will bear interest at the maximum contractual rate of interest. If unpaid, amounts are turned over to an attorney or a collection agency for collection, and Customer shall pay all costs of collection, including reasonable attorneys' fees and court costs.
5. Title to items sold and risk of loss and damage shall pass to Customer upon delivery by CM Truck Beds to common carrier or Customer, as the case may be, except that title to (but not risk of loss) shall not pass, in the case of items supplied upon credit terms, until payment in full has been received by CM Truck Beds.
6. Customer agrees to assume all risk incident to the care, handling and use of all products purchased; and warrants, by purchase of an item, that Customer is familiar with the item and its proper use. Before using an item, the Customer shall give such item reasonable and prudent examination and/or tests to determine the suitability of item for Customer's intended use. Any item delivered to Customer shall be deemed accepted by Customer unless written notice of defect or nonconformity is received by CM Truck Beds within thirty (30) days of date of delivery. Customer assumes all risk and liability in connection with an item from time of delivery to Customer.
7. Customer agrees to indemnify CM Truck Beds and save and hold CM Truck Beds harmless and free from liability against any and all claims, damages or assertion of liability of every nature whatsoever to person or property arising out of, or in connection with, the handling or use of all such products as CM Truck Beds may cause to be delivered to Customer, including, but not limited to any and all claims based on asserted defects of material or workmanship of such products.
8. CM Truck Beds does not warranty any product, components or parts not manufactured by CM Truck Beds covered by a manufacturer's warranty. CM Truck Beds does not warrant damage caused by disasters such as fire, flood, wind and lightning. CM Truck Beds does not warrant damage during shipment. CM Truck Beds does not warranty any other abuse or misuse by Customer. CM Truck Beds does not warrant defects caused by failure of Customer to follow all instructions, maintenance schedules, or warnings provided with the equipment, material or supplies.
9. EXCEPT AS OTHERWISE PROVIDED IN WRITING AND SIGNED BY AN AUTHORIZED OFFICER OF CM TRUCK BEDS, CM TRUCK BEDS DISCLAIMS ANY AND ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO THE IMPLIED WARRANTIES OR MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
10. In no case shall CM Truck Beds be liable for any special, incidental, or consequential damages based upon breach of warranty, breach of contract, negligence, strict tort, or any other legal theory. Such excluded damages include, but are not limited to loss of profits, loss of savings or revenue, loss of use of the equipment, materials or supplies or any associated equipment, cost of capital, cost of any substitute equipment, materials or supplies, facilities or services, downtime, the claims of third parties including the Customers of Customer, and injury to property. This limitation does not apply to damages caused by breach of warranty of title. Some states/provinces do not allow limits on warranties or on remedies for breach of certain transactions. In such states/provinces, the limits in this paragraph and the paragraph immediately proceeding may not apply.
11. Any action for any breach of contract by CM Truck Beds or any breach of warranty must be commenced within 365 days of the date the tender of delivery of the equipment, materials or supplies is made to Customer.
12. This agreement allocates the risk of product failure between CM Truck Beds and the Customer. This allocation is recognized by both parties and is reflected in the price of the goods. The Customer acknowledges that it has read this agreement, understands it and is bound by its terms.
13. Possession of price lists, brochures, manuals or other CM Truck Beds documents does not constitute an offer by Contract Manufacturer, LLC. to sell at the prices shown.



TABLE OF CONTENTS

SS Model Steel Flat Deck Body	4
RD Model Steel Flat Deck Body	6
SK Model Steel Skirted Body	8
TM/TMX Model Steel Gooseneck Tradesmen Body	10
TM Deluxe Model Steel Gooseneck Tradesmen Body	12
ER Model Steel Skirted Hauler Body	14
WD Model Steel Skirted Welder Body	16
GP Model Steel Gin Pole Body	18
PLS Model Steel Platform Body	20
PL-SD Model Steel Platform Body	22
PL-HD Model Steel Heavy Duty Platform Body	24
DB Model Steel Dump Body	26
SZ Model Steel Hay Squeeze Body	28
AL RS Model All Aluminum Flat Deck Body	30
AL RD Model Aluminum Flat Deck Body	32
AL SK Model Aluminum Skirted Body	34
AL PL Model Aluminum Platform Body	36
AL ER Model Aluminum Hauler Body	38
SB Model Steel Service Body	40
SBA Model Aluminum Service Body	43

SS MODEL STANDARD FEATURES



FEATURES AND OPTIONS

LENGTHS	84", 8'6", 9'4", 11'4"	FUEL FILL	Angled
HEADACHE RACK	Steel Tube	12V TRAILER PLUG	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear
HEADACHE RACK LIGHTING	Clear LED Oval	REAR LIGHTING	Clear LED Oval
DECK	1/8" Treadplate	LIGHT BOX (REAR SKIRT)	Steel
FRAME RAILS	4" Structural Channel Steel	MARKER LIGHTING	Bullet DOT Approved LED
CROSSMEMBERS	3" Roll formed 3/16" Channel Crossmembers	TOOLBOX	Optional Underbody
REAR SKIRT	Solid One Piece with Tapered Corners	TOOLBOX HANDLE	N/A
GN HITCH	30K B&W Hitch with Welded Ball	FENDERS	N/A
BP HITCH	18,500 lb. B&W Hitch with Receiver Tube	SIDESTEPS	N/A
SIDE RAILS	Integrated Side Rails with Internal Stake Pockets	TIE DOWNS	N/A

NOTABLE SS OPTIONS INCLUDE

- 3/16" Heavy-Duty Deck
- 30K B&W Hitch with Turnover Ball (required for 5th Wheel capability)
- Cargo Light
- Drop-In or Fold-Down Side Rails
- Gooseneck Trough
- Wood, Rumber or Blackwood Flooring
- Underbody Toolbox

RD MODEL STANDARD FEATURES



FEATURES AND OPTIONS

LENGTHS	84", 8'6", 9'4", 11'4"	FUEL FILL	Angled
HEADACHE RACK	Steel Tube	12V TRAILER PLUG	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear
HEADACHE RACK LIGHTING	Clear LED Oval	REAR LIGHTING	Clear LED Oval
DECK	1/8" Treadplate	LIGHT BOX (REAR SKIRT)	Steel
FRAME RAILS	4" Structural Channel Steel	MARKER LIGHTING	Bullet DOT Approved LED
CROSSMEMBERS	3" Roll formed 3/16" Channel Crossmembers	TOOLBOX	Optional Underbody
REAR SKIRT	Solid One Piece with Tapered Corners	TOOLBOX HANDLE	N/A
GN HITCH	30K B&W Hitch with Welded Ball	FENDERS	N/A
BP HITCH	18,500 lb. B&W Hitch with Receiver Tube	SIDESTEPS	N/A
SIDE RAILS	3/8" x 2" Side Rails with Stake Pockets	TIE DOWNS	N/A

NOTABLE RD OPTIONS INCLUDE

- 3/16" Heavy-Duty Deck
- 30K B&W Hitch with Turnover Ball (required for 5th Wheel capability)
- Cargo Light
- Drop-In or Fold-Down Side Rails
- Gooseneck Trough
- Wood, Rumber or Blackwood Flooring
- Underbody Toolbox

SK MODEL STANDARD FEATURES



FEATURES AND OPTIONS

LENGTHS	84", 8'6", 9'4", 11'4"	FUEL FILL	Angled
HEADACHE RACK	Steel Tube	12V TRAILER PLUG	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear
HEADACHE RACK LIGHTING	Clear LED Oval	REAR LIGHTING	Clear LED Oval
DECK	1/8" Treadplate	LIGHT BOX (REAR SKIRT)	Steel
FRAME RAILS	4" Structural Channel Steel	MARKER LIGHTING	Bullet DOT Approved LED
CROSSMEMBERS	3" Roll formed 3/16" Channel Crossmembers	TOOLBOX	(4) Standard Integrated
REAR SKIRT	Solid One Piece with Rear Step	TOOLBOX HANDLE	T Handle Compression
GN HITCH	30K B&W Hitch with Welded Ball	FENDERS	Steel Radius
BP HITCH	18,500 lb. B&W Hitch with Receiver Tube	SIDESTEPS	In front of and behind fender
SIDE RAILS	3/8" x 2" Side Rails with Stake Pockets	TIE DOWNS	N/A

NOTABLE SK OPTIONS INCLUDE

- 3/16" Heavy-Duty Deck
- 30K B&W Hitch with Turnover Ball (required for 5th Wheel capability)
- Color Primer Only
- Dovetail Deck
- Drop-In or Fold-Down Side Rails
- Gooseneck Trough
- Rear Rubrail
- Stainless Fenders
- Wood, Rumber or Blackwood Flooring

TM/TMX STANDARD FEATURES



FEATURES AND OPTIONS

LENGTHS	84", 8'6", 9'4", 11'4"	FUEL FILL	Angled
HEADACHE RACK	Steel Tube	12V TRAILER PLUG	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear
HEADACHE RACK LIGHTING	Clear LED Oval	REAR LIGHTING	Clear LED Oval
DECK	1/8" Treadplate	LIGHT BOX (REAR SKIRT)	Steel
FRAME RAILS	4" Structural Channel Steel	MARKER LIGHTING	Bullet DOT Approved LED
CROSSMEMBERS	3" Roll formed 3/16" Channel Crossmembers	TOOLBOX	Utility Box in Front, Top-Open 3/4 Length Shovel Box; Low-Profile Chain Box in rear
REAR SKIRT	Solid One Piece with Rear Step	TOOLBOX HANDLE	Chrome T Handle Compression
GN HITCH	30K B&W Hitch with Welded Ball	FENDERS	Steel Radius
BP HITCH	18,500 lb. B&W Hitch with Receiver Tube	SIDESTEPS	In front of and behind fender
SIDE RAILS	N/A	TIE DOWNS	(4) 18" Airline Track Tiedowns (4) Attachment Rings

NOTABLE TM OPTIONS INCLUDE

- 3/16" Heavy-Duty Deck
 - 30K B&W Hitch with Turnover Ball (required for 5th Wheel capability)
 - Bale Spikes
- Color Primer Only
 - Stainless Fenders
 - Work Lights (pictured)
 - American Eagle Toolboxes

TM DELUXE MODEL STANDARD FEATURES



FEATURES AND OPTIONS

LENGTHS	84", 8'6", 9'4", 11'4"	FUEL FILL	Angled
HEADACHE RACK	Steel Tube	12V TRAILER PLUG	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear
HEADACHE RACK LIGHTING	Clear LED Oval	REAR LIGHTING	Clear LED Oval
DECK	1/8" Treadplate	LIGHT BOX (REAR SKIRT)	Steel
FRAME RAILS	4" Structural Channel Steel	MARKER LIGHTING	Bullet DOT Approved LED
CROSSMEMBERS	3" Roll formed 3/16" Channel Crossmembers	TOOLBOX	Utility Box in front; Top-Open 1/2 Length Shovel Box; Tall Chain Box in rear; Opossum Belly
REAR SKIRT	Solid One Piece with Rear Step	TOOLBOX HANDLE	Chrome T Handle Compression
GN HITCH	30K B&W Hitch with Welded Ball	FENDERS	Steel Radius
BP HITCH	18,500 lb. B&W Hitch with Receiver Tube	SIDESTEPS	In front of and behind fender
SIDE RAILS	N/A	TIE DOWNS	(4) 18" Airline Track Tiedowns (4) Attachment Rings

NOTABLE TM DELUXE OPTIONS INCLUDE

- 3/16" Heavy-Duty Deck
- 30K B&W Hitch with Turnover Ball (required for 5th Wheel capability)
- Bale Spikes
- Color Primer Only
- American Eagle Toolboxes
- Stainless Fenders

ER MODEL STANDARD FEATURES



FEATURES AND OPTIONS

LENGTHS	84", 8'6", 9'4", 11'4"	FUEL FILL	Angled (Cast Aluminum)
HEADACHE RACK	Steel Tube	12V TRAILER PLUG	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear
HEADACHE RACK LIGHTING	Clear LED Oval w/ Chrome Housing	REAR LIGHTING	Clear LED Oval with Chrome Housing
DECK	1/8" Treadplate	LIGHT BOX (REAR SKIRT)	Cast Aluminum
FRAME RAILS	4" Structural Channel Steel	MARKER LIGHTING	Bullet DOT Approved LED
CROSSMEMBERS	3" Roll formed 3/16" Channel Crossmembers	TOOLBOX	(4) Standard Integrated
REAR SKIRT	Solid One Piece with Rear Step	TOOLBOX HANDLE	Chrome T Handle Compression
GN HITCH	30K B&W Hitch with Welded Ball in Trough	FENDERS	Chrome Radius
BP HITCH	18,500 lb. B&W Hitch with Receiver Tube	SIDESTEPS	In front of and behind fender
SIDE RAILS	Raised Side Rail with Aluminum Cap	TIE DOWNS	(4) 18" Airline Track Tiedowns (4) Attachment Rings

NOTABLE ER OPTIONS INCLUDE

- 3/16" Heavy-Duty Deck
- 30K B&W Hitch with Turnover Ball (required for 5th Wheel capability)
- Bale Spikes
- Cargo Lights
- Color Primer Only

WD MODEL STANDARD FEATURES



FEATURES AND OPTIONS

LENGTHS	84", 8'6", 9'4", 11'4"	FUEL FILL	Angled
HEADACHE RACK	Optional	12V TRAILER PLUG	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear
HEADACHE RACK LIGHTING	None	REAR LIGHTING	Clear LED Oval
DECK	1/8" Smooth Steel	LIGHT BOX (REAR SKIRT)	Steel
FRAME RAILS	4" Structural Channel Steel	MARKER LIGHTING	Bullet DOT Approved LED
CROSSMEMBERS	3" Roll formed 3/16" Channel Crossmembers	TOOLBOX	(4) Standard Integrated
REAR SKIRT	Solid One Piece with Tapered Corners	TOOLBOX HANDLE	Black T Handle Compression
GN HITCH	Optional	FENDERS	Steel Radius
BP HITCH	18,500 lb. B&W Hitch with Receiver Tube	SIDESTEPS	In Front and Behind Fender
SIDE RAILS	N/A	OTHER	3" Recessed Angle in Rear

NOTABLE WD OPTIONS INCLUDE

- 3/16" Heavy-Duty Deck
- Color Primer Only
- Headache Rack
- 6N Box

GP MODEL STANDARD FEATURES



FEATURES AND OPTIONS

LENGTHS	8'6", 9'4", 11'4"	FUEL FILL	Angled
HEADACHE RACK	Steel Pipe	12V TRAILER PLUG	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear
HEADACHE RACK LIGHTING	Clear LED Oval	REAR LIGHTING	LED Oval
DECK	3/16" Treadplate	LIGHT BOX (REAR SKIRT)	Steel
FRAME RAILS	6" Structural Channel Steel	MARKER LIGHTING	Bullet DOT Approved LED
CROSSMEMBERS	3" Structural Channel Crossmembers	TOOLBOX	Two in Front
REAR SKIRT	Solid One Piece Square Tailboard with Rolling Section & 5" Rolling Tailboard	TOOLBOX HANDLE	T Handle Compression
GN HITCH	25K Hitch in Recessed Box	FENDERS	N/A
BP HITCH	18,000 lb. with Receiver Tube	PAINT FINISH	Premium Polyurethane
SIDE RAILS	N/A	POLES	Schedule 80 Gin Poles with Frame and Pipe Holders

NOTABLE GP OPTIONS INCLUDE

- Junk Basket
- Water Cooler Rack
- Winch Package (12K or 15K)

PLS MODEL STANDARD FEATURES



FEATURES AND OPTIONS

LENGTHS	12'-18'	FUEL FILL	N/A
HEADACHE RACK	Formed Bulkhead with Punched Grill	12V TRAILER PLUG	N/A
HEADACHE RACK LIGHTING	N/A	REAR LIGHTING	N/A
DECK	1/8" Treadplate	LIGHT BOX (REAR SKIRT)	N/A
FRAME RAILS	4" Structural Channel Steel	MARKER LIGHTING	Bullet DOT Approved LED
CROSSMEMBERS	3" Roll Formed 3/16" Channel Steel	TOOLBOX	Optional Underbody
REAR SKIRT	N/A	TOOLBOX HANDLE	N/A
GN HITCH	N/A	FENDERS	N/A
BP HITCH	ICC optional	SIDESTEPS	N/A
SIDE RAILS	Smooth Sides w/ Internal Stake Pockets	TIE DOWNS	N/A

NOTABLE PLS OPTIONS INCLUDE

- 3/16" Heavy-Duty Deck
- Cargo Light
- Color Primer Only
- Front Underbody Toolbox
- Stake Sides
- Wood, Rumber or Blackwood Flooring
- ICC Rear Hitch

PL MODEL STANDARD FEATURES



FEATURES AND OPTIONS

LENGTHS	12'-18'= Standard Duty 20'-24'= Heavy Duty	FUEL FILL	N/A
HEADACHE RACK	Formed Bulkhead with Punched Grill	12V TRAILER PLUG	N/A
HEADACHE RACK LIGHTING	N/A	REAR LIGHTING	N/A
DECK	3/8" Treadplate	LIGHT BOX (REAR SKIRT)	N/A
FRAME RAILS	4" Structural Channel Steel	MARKER LIGHTING	Bullet DOT Approved LED
CROSSMEMBERS	3" Roll Formed Channel Steel 18" O.C.	TOOLBOX	Optional Underbody
REAR SKIRT	N/A	TOOLBOX HANDLE	N/A
GN HITCH	N/A	FENDERS	N/A
BP HITCH	ICC optional	SIDESTEPS	N/A
SIDE RAILS	3/8" x 2" Side Rails with Stake Pockets	TIE DOWNS	N/A

NOTABLE PL OPTIONS INCLUDE

- 3/16" Heavy-Duty Deck
- 30K B&W Hitch with Turnover Ball (required for 5th Wheel capability)
- Bale Spikes
- Cargo Light
- ICC Bumper
- Stake Sides

PL HD MODEL STANDARD FEATURES



FEATURES AND OPTIONS

LENGTHS	12'-18'= Standard Duty 20'-24'= Heavy Duty	FUEL FILL	N/A
HEADACHE RACK	Formed Bulkhead with Punched Grill	12V TRAILER PLUG	N/A
HEADACHE RACK LIGHTING	N/A	REAR LIGHTING	N/A
DECK	3/16" Treadplate	LIGHT BOX (REAR SKIRT)	N/A
FRAME RAILS	8" Channel Steel	MARKER LIGHTING	Bullet DOT Approved LED
CROSSMEMBERS	4" Channel Steel 12" .06	TOOLBOX	Optional Underbody
REAR SKIRT	N/A	TOOLBOX HANDLE	N/A
GN HITCH	N/A	FENDERS	N/A
BP HITCH	ICC optional	SIDESTEPS	N/A
SIDE RAILS	3/8" x 2" Side Rails with Stake Pockets	TIE DOWNS	N/A

NOTABLE PLHD OPTIONS INCLUDE

- 3/16" Heavy-Duty Deck
- Cargo Light
- Color Primer Only
- Front Underbody Toolbox
- Stake Sides
- Wood, Rubber or Blackwood Flooring
- ICC Bumper

DB MODEL STANDARD FEATURES



FEATURES AND OPTIONS

LENGTHS	9'11"; Custom Available	FUEL FILL	N/A
HEADACHE RACK	Formed Steel with Cab Protector	12V TRAILER PLUG	N/A
HEADACHE RACK LIGHTING	Clear LED Oval	REAR LIGHTING	N/A
DECK	10-Gauge	LIGHT BOX (REAR SKIRT)	N/A
FRAME RAILS	6" Channel Steel	MARKER LIGHTING	Red
CROSSMEMBERS	3" Structural 3/16" Crossmembers	TOOLBOX	N/A
REAR SKIRT	N/A	TOOLBOX HANDLE	N/A
GN HITCH	N/A	FENDERS	N/A
BP HITCH	N/A	SIDESTEPS	N/A
SIDE RAILS	N/A	TIE DOWNS	(4) Welded with D-Rings

NOTABLE DB OPTIONS INCLUDE

- Fold-Down Sides
- Tarp
- Bolt On Hoist

SZ MODEL STANDARD FEATURES



FEATURES AND OPTIONS

LENGTHS	8'6", 9'4", 11'4"	FUEL FILL	Angled
HEADACHE RACK	Steel Tube	12V TRAILER PLUG	Round 7 Pin GN Box, Round 7 Pin/4 way flat on rear
HEADACHE RACK LIGHTING	Clead LED Oval	REAR LIGHTING	Clear LED Oval
DECK	1/8" Treadplate	LIGHT BOX (REAR SKIRT)	Steel
FRAME RAILS	4" Structural Channel Steel	MARKER LIGHTING	Bullet DOT Approved LED
CROSSMEMBERS	3" Roll-Formed 3/16" Channel Crossmember	TOOLBOX	One standard in front on R/S
REAR SKIRT	Solid One Piece with rear step	TOOLBOX HANDLE	Black T Handle Compression
GN HITCH	30K B&W Hitch with welded ball	FENDERS	N/A
BP HITCH	18,500 lb. B&W with Reciever tube	SIDESTEPS	N/A
SIDE RAILS	Tube	TIE DOWNS	4) 24" Airline Track Tiedowns, (4) Attachment Rings

NOTABLE SZ OPTIONS INCLUDE

- 3/16" Heavy-Duty Deck
- 30K B&W Hitch with Turnover Ball
(required for 5th Wheel capability)
- Cargo Light

AL RS MODEL STANDARD FEATURES



FEATURES AND OPTIONS

LENGTHS	84", 8'6", 9'4"	FUEL FILL	Angled (Cast Aluminum)
HEADACHE RACK	Aluminum Tube	12V TRAILER PLUG	N/A
HEADACHE RACK LIGHTING	Clear LED Oval	REAR LIGHTING	Clear LED Oval
DECK	Extruded Aluminum Floor	LIGHT BOX (REAR SKIRT)	Aluminum
FRAME RAILS	4" Aluminum Channel	MARKER LIGHTING	Bullet DOT Approved LED
CROSSMEMBERS	N/A	TOOLBOX	Optional Underbody
REAR SKIRT	14" Solid One Piece Square Back	TOOLBOX HANDLE	N/A
GN HITCH	N/A	FENDERS	N/A
BP HITCH	N/A	SIDESTEPS	N/A
SIDE RAILS	3/8" X 2" Aluminum Extrusion with Aluminum Stake Pockets	TIE DOWNS	N/A

NOTABLE ALRS OPTIONS INCLUDE

- Cargo Light
- Underbody Toolbox
- Wood, Rumber or Blackwood Flooring

AL RD MODEL STANDARD FEATURES



FEATURES AND OPTIONS

LENGTHS	84", 8'6", 9'4", 11'4"	FUEL FILL	Angled (Cast Aluminum)
HEADACHE RACK	Aluminum Tube	12V TRAILER PLUG	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear
HEADACHE RACK LIGHTING	Clear LED Oval	REAR LIGHTING	Clear LED Oval
DECK	Extruded Aluminum Floor	LIGHT BOX (REAR SKIRT)	Aluminum
FRAME RAILS	4" Structural Channel Steel	MARKER LIGHTING	Bullet DOT Approved LED
CROSSMEMBERS	3" Aluminum Channel Crossmembers	TOOLBOX	Optional Underbody
REAR SKIRT	Solid One Piece with Tapered Corners	TOOLBOX HANDLE	N/A
GN HITCH	30K B&W Hitch with Welded Ball	FENDERS	N/A
BP HITCH	18,500 lb. B&W Hitch with Receiver Tube	SIDESTEPS	N/A
SIDE RAILS	3/8" x 2" Side Rails with Stake Pockets	TIE DOWNS	N/A

NOTABLE ALRD OPTIONS INCLUDE

- 3/16" Heavy-Duty Deck
- Aluminum Underbody Toolboxes
- Cargo Light
- Wood, Rubber or Blackwood Flooring

AL SK MODEL STANDARD FEATURES



FEATURES AND OPTIONS

LENGTHS	84", 8'6", 9'4", 11'4"	FUEL FILL	Angled (Cast Aluminum)
HEADACHE RACK	Aluminum Tube	12V TRAILER PLUG	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear
HEADACHE RACK LIGHTING	Clear LED Oval	REAR LIGHTING	Clear LED Oval
DECK	Extruded Aluminum Floor	LIGHT BOX (REAR SKIRT)	Aluminum
FRAME RAILS	4" Structural Channel Steel	MARKER LIGHTING	Bullet DOT Approved LED
CROSSMEMBERS	Aluminum Channel Crossmembers	TOOLBOX	(4) Standard Integrated
REAR SKIRT	Solid One Piece with Rear Step	TOOLBOX HANDLE	Black T Handle Compression
GN HITCH	30K B&W Hitch with Welded Ball	FENDERS	Aluminum Radius
BP HITCH	18,500 lb. B&W Hitch with Receiver Tube	SIDESTEPS	Aluminum steps in front of and behind fender
SIDE RAILS	3/8" x 2" Side Rails with Stake Pockets	TIE DOWNS	N/A

NOTABLE ALSK OPTIONS INCLUDE

- 3/16" Heavy-Duty Deck
- Cargo Light
- Wood, Rumber or Blackwood Flooring

AL PL MODEL STANDARD FEATURES



FEATURES AND OPTIONS

LENGTHS	12'-18'= Standard Duty	FUEL FILL	N/A
HEADACHE RACK	Aluminum Tube	12V TRAILER PLUG	N/A
HEADACHE RACK LIGHTING	N/A	REAR LIGHTING	N/A
DECK	Extruded Aluminum Floor	LIGHT BOX (REAR SKIRT)	N/A
FRAME RAILS	4" Steel Channel	MARKER LIGHTING	Bullet DOT Approved LED
CROSSMEMBERS	3" Steel Channel Crossmembers	TOOLBOX	Optional Underbody
REAR SKIRT	One Piece Aluminum	TOOLBOX HANDLE	N/A
GN HITCH	N/A	FENDERS	N/A
BP HITCH	ICC optional	SIDESTEPS	N/A
SIDE RAILS	3/8" x 2" Side Rails with Stake Pockets	TIE DOWNS	N/A

NOTABLE ALPL OPTIONS INCLUDE

- Aluminum Underbody Toolboxes
- Wood, Rubber or Blackwood Flooring
- Aluminum Runners & Crossmembers

AL ER MODEL STANDARD FEATURES



FEATURES AND OPTIONS

LENGTHS	84", 8'6", 9'4", 11'4"	FUEL FILL	Angled (Cast Aluminum)
HEADACHE RACK	One-Piece Aluminum Square Tube	12V TRAILER PLUG	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear
HEADACHE RACK LIGHTING	Clear LED Oval w/ Chrome Housing	REAR LIGHTING	Clear LED Oval w/ Chrome Housing
DECK	1/8" Aluminum Treadplate	LIGHT BOX (REAR SKIRT)	Cast Aluminum
FRAME RAILS	4" Structural Channel Steel	MARKER LIGHTING	Bullet DOT Approved LED
CROSSMEMBERS	3" Roll formed 3/16" Channel Crossmembers	TOOLBOX	Optional Underbody
REAR SKIRT	Solid One Piece with Rear Step	TOOLBOX HANDLE	Black T Handle Compression
GN HITCH	30K B&W Hitch in Trough	FENDERS	Chrome Radius
BP HITCH	18,500 lb. B&W Hitch with Receiver Tube	SIDESTEPS	Aluminum steps in front of and behind fender
SIDE RAILS	Raised Side Rail with Aluminum Cap	TIE DOWNS	(4) 18" Airline Track Tiedowns (4) Attachment Rings

NOTABLE ALER OPTIONS INCLUDE

- 30K B&W Hitch with Turnover Ball
(required for 5th Wheel capability)
- Cargo Light

SB MODEL STANDARD FEATURES



FEATURES AND OPTIONS

11-Gauge Galvaneal Deck

16-Gauge Galvaneal Body (A60)

Removeable Fender Panel

Stainless Steel Rod & Socket Door Hinges

Gas Cylinder Style Door Holders

LED Rear Lighting with Wiring Harness

Recessed Rear Bumper

1/8" Treadbrite Aluminum Compartment Tops

Automotive Stainless Steel Rotary Latches

Vise Socket in Bumper

Conduit in Understructure

Bolted Body for Secure Attachment

Universal Body and Bumper Mounting Kit

Automotive D-Bulb Weather Stripping

Multi Panel Doors with Internal Reinforcements

Toolbox Interior Powdercoated

Heavy Duty Rear Tailgate

Two Shelves in the Front, One Shelf in the Rear

NOTABLE SB OPTIONS INCLUDE

- Bolt-on Ladder Racks
- Drop-in flip-top compartments close securely with automotive stainless steel rotary latches
- Master lock toolbox door locking system
- Toolbox
- Slide out drawers
- Slide out bin system

SBA MODEL STANDARD FEATURES



NOTABLE SS OPTIONS INCLUDE

.090 Aluminum Body	Conduit in Understructure
.125 Smooth Aluminum Deck	Bolted Body for Secure Attachment
Removeable Fender Panel	Universal Body and Bumper Mounting Kit
Stainless Steel Rod & Socket Door Hinges	Automotive D Bulb Weather Stripping
Gas Cylinder Style Door Holders	Multi Panel Doors with Internal Reinforcements
LED Rear Lighting with Wiring Harness	Toolbox Interior Powdercoated
Recessed Rear Bumper	Heavy Duty Rear Tailgate
1/8" Treadbrite Aluminum Compartment Tops	Two Shelves in the Front, One Shelf in the Rear
Automotive Stainless Steel Rotary Latches	
Vise Socket in Bumper	

NOTABLE SBA OPTIONS INCLUDE

- Durable .125 smooth aluminum deck
- Available rear bumper vise mount for added versatility
- Toolboxes with powdercoated interiors
- Secure, stainless-steel rotary latches to protect valuable tools
- Bright, safe and hassle-free LED lighting.



BUILT FOR YOUR SUCCESS. Since 1990, CM Truck Beds has offered a wide range of feature-rich, work-ready products built to withstand the test of time and deliver the ultimate in value. Headquartered in Kingston, Oklahoma, CM Truck Beds has over 150,000 square feet of manufacturing and employs more than 300 experienced laborers and sales associates. We're proud to be the leader in flat-bed truck bodies, and we're dedicated to providing the solutions you need to get the job done.

When searching for a dependable and good-looking truck body that will help on the job site, down the road, or on the ranch, look no further than CM Truck Beds. Our field-tested products fit not only the vehicles they connect with but also the customers who use them, day in and day out. We utilize category-leading hitches, toolbox latches, and headache racks in addition to offering the toughest steel and aluminum beds and service bodies on the market.

Additionally, our strong network includes more than 200 distributors across North America who specialize in aftermarket upfit and installation. Count on superior product quality, large on-hand inventory, and attention to detail throughout the upfitting process. It's this dedication to providing real-world solutions that makes CM Truck Beds the go-to source for hardworking professionals.



833-268-7825 | CMTRUCKBEDS.COM

© 2018 CM Truck Beds.