

FrontlineMotors.Com
717-627-7888



FrontlineMotors.Com
717-627-7888
719 Rothsville Rd.
Lititz PA. 17543
Hours:M-F 8am-6pm
Sat. By Appt

CM
TRUCK BEDS®

2020 GUIDE

WWW.CMTRUCKBEDS.COM

FrontlineMotors.Com 717-627-7888



TABLE OF CONTENTS

- SS Model** Steel Flat Deck Body4
- RD Model** Steel Flat Deck Body6
- SK Model** Steel Skirted Body8
- TM/TMX Model** Steel Gooseneck Tradesmen Body10
- TM Deluxe Model** Steel Gooseneck Tradesmen Body12
- ER Model** Steel Skirted Hauler Body14
- WD Model** Steel Skirted Welder Body16
- GP Model** Steel Gin Pole Body18
- PLS Model** Steel Platform Body20
- PL Model** Steel Platform Body22
- PL HD Model** Steel Heavy-Duty Platform Body24
- DB Model** Steel Dump Body26
- CB Model** Contractor Body28
- SZ Model** Steel Hay Squeeze Body30
- AL RS Model** All Aluminum Flat Deck Body32
- AL RD Model** Aluminum Flat Deck Body34
- AL SK Model** Aluminum Skirted Body36
- AL ER Model** Aluminum Platform Body38
- AL PL Model** Aluminum Hauler Body40
- SB Model** Steel Service Body42
- SBA Model** Aluminum Service Body45

SS MODEL STANDARD FEATURES



FEATURES AND OPTIONS

LENGTHS	84", 8'6", 9'4", 11'4"	BP HITCH	18,500 lb. B&W Hitch with Receiver Tube
HEADACHE RACK	Steel Tube	SIDE RAILS	Integrated Side Rails with Internal Stake Pockets
HEADACHE RACK LIGHTING	Clear LED Oval	FUEL FILL	Angled
DECK	1/8" Treadplate	12V TRAILER PLUG	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear
FRAME RAILS	4" Structural Channel Steel	REAR LIGHTING	Clear LED Oval
CROSSMEMBERS	3" Roll Formed 3/16" Channel Crossmembers	LIGHT BOX (REAR SKIRT)	Steel
REAR SKIRT	Solid One Piece with Tapered Corners	MARKER LIGHTING	Bullet DOT Approved LED
GN HITCH	30K B&W Hitch with Welded Ball	TOOLBOX	Optional Underbody

NOTABLE SS OPTIONS INCLUDE

- 3/16" Heavy-Duty Deck
- 30K B&W Hitch with Turnover Ball (required for 5th Wheel capability)
- Cargo Light
- Drop-In or Fold-Down Side Rails
- Gooseneck Trough
- Wood, Rumber or Blackwood Flooring
- Underbody Toolbox

RD MODEL STANDARD FEATURES



FEATURES AND OPTIONS

LENGTHS	84", 8'6", 9'4", 11'4"	BP HITCH	18,500 lb. B&W Hitch with Receiver Tube
HEADACHE RACK	Steel Tube	SIDE RAILS	3/8" x 2" Side Rails with Stake Pockets
HEADACHE RACK LIGHTING	Clear LED Oval	FUEL FILL	Angled
DECK	1/8" Treadplate	12V TRAILER PLUG	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear
FRAME RAILS	4" Structural Channel Steel	REAR LIGHTING	Clear LED Oval
CROSSMEMBERS	3" Roll Formed 3/16" Channel Crossmembers	LIGHT BOX (REAR SKIRT)	Steel
REAR SKIRT	Solid One Piece with Tapered Corners	MARKER LIGHTING	Bullet DOT Approved LED
GN HITCH	30K B&W Hitch with Welded Ball	TOOLBOX	Optional Underbody

NOTABLE RD OPTIONS INCLUDE

- 3/16" Heavy-Duty Deck
 - 30K B&W Hitch with Turnover Ball (required for 5th Wheel capability)
- Cargo Light
 - Drop-In or Fold-Down Side Rails
 - Gooseneck Trough
- Wood, Rumber or Blackwood Flooring
 - Underbody Toolbox

SK MODEL STANDARD FEATURES



FEATURES AND OPTIONS

LENGTHS	84", 8'6", 9'4", 11'4"	FUEL FILL	Angled
HEADACHE RACK	Steel Tube	12V TRAILER PLUG	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear
HEADACHE RACK LIGHTING	Clear LED Oval	REAR LIGHTING	Clear LED Oval
DECK	1/8" Treadplate	LIGHT BOX (REAR SKIRT)	Steel
FRAME RAILS	4" Structural Channel Steel	MARKER LIGHTING	Clear Bullet DOT Approved LED
CROSSMEMBERS	3" Roll Formed 3/16" Channel Crossmembers	TOOLBOX	(4) Standard Integrated
REAR SKIRT	Solid One Piece with Rear Step	TOOLBOX HANDLE	Chrome T Handle Compression
GN HITCH	30K B&W Hitch with Welded Ball	FENDERS	Steel Radius
BP HITCH	18,500 lb. B&W Hitch with Receiver Tube	SIDESTEPS	In Front Of and Behind Fender
SIDE RAILS	3/8" x 2" Side Rails with Stake Pockets		

NOTABLE SK OPTIONS INCLUDE

- 3/16" Heavy-Duty Deck
- 30K B&W Hitch with Turnover Ball (required for 5th Wheel capability)
- Primer Only
- Dovetail Deck
- Drop-In or Fold-Down Side Rails
- Gooseneck Trough
- Rear Rubrail
- Stainless Fenders
- Wood, Rubber or Blackwood Flooring



PRICE GUIDE

FrontlineMotors.Com 717-627-7888

TM/TMX STANDARD FEATURES



FEATURES AND OPTIONS

LENGTHS	84", 8'6", 9'4", 11'4"	12V TRAILER PLUG	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear
HEADACHE RACK	Steel Tube	REAR LIGHTING	Clear LED Oval
HEADACHE RACK LIGHTING	Clear LED Oval	LIGHT BOX (REAR SKIRT)	Steel
DECK	1/8" Treadplate	MARKER LIGHTING	Clear Bullet DOT Approved LED
FRAME RAILS	4" Structural Channel Steel	TOOLBOX	Utility Box in Front, Top-Open 3/4 Length Shovel Box; Low-Profile Chain Box in Rear
CROSSMEMBERS	3" Roll Formed 3/16" Channel Crossmembers	TOOLBOX HANDLE	Chrome T Handle Compression
REAR SKIRT	Solid One Piece with Rear Step	FENDERS	Steel Radius
GN HITCH	30K B&W Hitch with Welded Ball	SIDESTEPS	In Front Of and Behind Fender
BP HITCH	18,500 lb. B&W Hitch with Receiver Tube	TIE DOWNS	(4) 18" Airline Track Tiedowns (4) Attachment Rings
FUEL FILL	Angled		

NOTABLE TM/TMX OPTIONS INCLUDE

- 3/16" Heavy-Duty Deck
 - 30K B&W Hitch with Turnover Ball (required for 5th Wheel capability)
- Bale Spikes
 - Primer Only
 - Stainless Fenders
- Work Lights (pictured)
 - American Eagle Toolbox
 - CTech Cabinets

TM DELUXE MODEL STANDARD FEATURES



FEATURES AND OPTIONS

LENGTHS	84", 8'6", 9'4", 11'4"	12V TRAILER PLUG	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear
HEADACHE RACK	Steel Tube	REAR LIGHTING	Clear LED Oval
HEADACHE RACK LIGHTING	Clear LED Oval	LIGHT BOX (REAR SKIRT)	Steel
DECK	1/8" Treadplate	MARKER LIGHTING	Clear Bullet DOT Approved LED
FRAME RAILS	4" Structural Channel Steel	TOOLBOX	Utility Box in front; Top-Open 1/2 Length Shovel Box; Tall Chain Box in Rear; Opossum Belly
CROSSMEMBERS	3" Roll Formed 3/16" Channel Crossmembers	TOOLBOX HANDLE	Chrome T Handle Compression
REAR SKIRT	Solid One Piece with Rear Step	FENDERS	Steel Radius
GN HITCH	30K B&W Hitch with Welded Ball	SIDESTEPS	In Front Of and Behind Fender
BP HITCH	18,500 lb. B&W Hitch with Receiver Tube	TIE DOWNS	(4) 18" Airline Track Tiedowns (4) Attachment Rings
FUEL FILL	Angled	WORK LIGHTS	Standard in Cast Housing

NOTABLE TM DELUXE OPTIONS INCLUDE

- 3/16" Heavy-Duty Deck
- 30K B&W Hitch with Turnover Ball (required for 5th Wheel capability)
- Bale Spikes
- Primer Only
- American Eagle Toolboxes
- CTech Cabinets
- Stainless Fenders



PRICE GUIDE

FrontlineMotors.Com 717-627-7888

ER MODEL STANDARD FEATURES



FEATURES AND OPTIONS

LENGTHS	84", 8'6", 9'4", 11'4"	FUEL FILL	Angled (Cast Aluminum)
HEADACHE RACK	Steel Tube	12V TRAILER PLUG	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear
HEADACHE RACK LIGHTING	Clear LED Oval w/ Chrome Housing	REAR LIGHTING	Clear LED Oval with Chrome Housing
DECK	1/8" Treadplate	LIGHT BOX (REAR SKIRT)	Cast Aluminum
FRAME RAILS	4" Structural Channel Steel	MARKER LIGHTING	Clear Bullet DOT Approved LED
CROSSMEMBERS	3" Roll Formed 3/16" Channel Crossmembers	TOOLBOX	(4) Standard Integrated
REAR SKIRT	Solid One Piece with Rear Step	TOOLBOX HANDLE	Chrome T Handle Compression
GN HITCH	30K B&W Hitch with Welded Ball in Trough	FENDERS	Chrome Radius
BP HITCH	18,500 lb. B&W Hitch with Receiver Tube	SIDESTEPS	In Front Of and Behind Fender
SIDE RAILS	Raised Side Rail with Aluminum Cap	TIE DOWNS	(4) 18" Airline Track Tiedowns (4) Attachment Rings

NOTABLE ER OPTIONS INCLUDE

- 3/16" Heavy-Duty Deck
- 30K B&W Hitch with Turnover Ball (Required for 5th Wheel Capability)
- Bale Spikes
- Cargo Lights
- Primer Only



PRICE GUIDE

FrontlineMotors.Com 717-627-7888

WD MODEL STANDARD FEATURES



FEATURES AND OPTIONS

LENGTHS	84", 8'6", 9'4", 11'4"	12V TRAILER PLUG	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear
HEADACHE RACK	Optional	REAR LIGHTING	Clear LED Oval
HEADACHE RACK LIGHTING	None	LIGHT BOX (REAR SKIRT)	Steel
DECK	1/8" Smooth Steel	MARKER LIGHTING	Bullet DOT Approved LED
FRAME RAILS	4" Structural Channel Steel	TOOLBOX	(4) Standard Integrated
CROSSMEMBERS	3" Roll Formed 3/16" Channel Crossmembers	TOOLBOX HANDLE	Chrome T Handle Compression
REAR SKIRT	Solid One Piece with Tapered Corners	FENDERS	Steel Radius
GN HITCH	Optional	SIDESTEPS	In Front and Behind Fender
BP HITCH	18,500 lb. B&W Hitch with Receiver Tube	OTHER	3" Recessed Angle in Rear
FUEL FILL	Angled		

NOTABLE WD OPTIONS INCLUDE

- 3/16" Heavy-Duty Deck
- Color Primer Only
- Headache Rack
- 6N Box

GP MODEL STANDARD FEATURES



FEATURES AND OPTIONS

LENGTHS	8'6", 9'4", 11'4"	FUEL FILL	Angled
HEADACHE RACK	Steel Pipe	12V TRAILER PLUG	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear
HEADACHE RACK LIGHTING	None	REAR LIGHTING	LED Oval
DECK	3/16" Treadplate	LIGHT BOX (REAR SKIRT)	Steel
FRAME RAILS	6" Structural Channel Steel	MARKER LIGHTING	Bullet DOT Approved LED
CROSSMEMBERS	3" Structural Channel Crossmembers	TOOLBOX	Two in Front
REAR SKIRT	Solid One Piece Square Tailboard with Rolling Section & 5" Rolling Tailboard	TOOLBOX HANDLE	T Handle Compression
GN HITCH	25K Hitch in Recessed Box	PAINT FINISH	Premium Polyurethane
BP HITCH	18,000 lb. with Receiver Tube	POLES	Schedule 80 Gin Poles with Frame and Pipe Holders

NOTABLE GP OPTIONS INCLUDE

- Junk Basket
- Water Cooler Rack
- Winch Package (12K or 15K)

PLS MODEL STANDARD FEATURES



FEATURES AND OPTIONS

LENGTHS	9'-18'	BP HITCH	ICC optional
HEADACHE RACK	Formed Bolt-On Bulkhead with Punched Grill and Ship Thru Ears	SIDE RAILS	Smooth Sides w/ Internal Stake Pockets
DECK	1/8" Treadplate	MARKER LIGHTING	Bullet DOT Approved LED
FRAME RAILS	4" Structural Channel Steel	TOOLBOX	Optional Underbody
CROSSMEMBERS	3" Roll Formed 3/16" Channel Steel		

NOTABLE PLS OPTIONS INCLUDE

- 3/16" Heavy-Duty Deck
- Cargo Light
- Color Primer Only
- Front Underbody Toolbox
- Stake Sides
- Wood, Rumber or Blackwood Flooring
- ICC Rear Hitch

PL MODEL STANDARD FEATURES



FEATURES AND OPTIONS

LENGTHS	9'-18'	BP HITCH	ICC optional
HEADACHE RACK	Formed Bulkhead with Punched Grill	SIDE RAILS	3/8" x 2" Side Rails with Stake Pockets on Sides and Rear
DECK	1/8" Treadplate	MARKER LIGHTING	Bullet DOT Approved LED
FRAME RAILS	4" Structural Channel Steel	TOOLBOX	Optional Underbody
CROSSMEMBERS	3" Roll Formed Channel Steel 18" O.C.		

NOTABLE PL OPTIONS INCLUDE

- 3/16" Heavy-Duty Deck
- 30K B&W Hitch with Turnover Ball (required for 5th Wheel capability)
- Bale Spikes
- Cargo Light
- ICC Bumper
- ICC Receiver Hitch
- Stake Sides

PL HD MODEL STANDARD FEATURES



FEATURES AND OPTIONS

LENGTHS	12'-24'	BP HITCH	ICC optional
HEADACHE RACK	Formed Bulkhead with Punched Grill	SIDE RAILS	3/8" x 2" Side Rails with Stake Pockets on Sides and Rear
DECK	3/16" Treadplate	MARKER LIGHTING	Bullet DOT Approved LED
FRAME RAILS	8" Channel Steel	TOOLBOX	Optional Underbody
CROSSMEMBERS	4" Channel Steel 12" O.C.		

NOTABLE PL HD OPTIONS INCLUDE

- 3/16" Heavy-Duty Deck
- Cargo Light
- Color Primer Only
- Front Underbody Toolbox
- Stake Sides
- Wood, Rubber or Blackwood Flooring
- Wood, Rubber or Blackwood Flooring
- ICC Bumper
- ICC Receiver Hitch

DB MODEL STANDARD FEATURES



FEATURES AND OPTIONS

LENGTHS	9', 11', 14'	FRAME RAILS	6" Channel Steel
HEADACHE RACK	Formed Steel with Cab Protector	CROSSMEMBERS	3" Structural 3/16" Crossmembers
SIDES	18" Tall	MARKER LIGHTING	2" Round LED Clearance Light
DECK	10-Gauge		

NOTABLE DB OPTIONS INCLUDE

- Fold-Down Sides
- Tarp
- Bolt-On Hoist

CB CONTRACTOR BODY STANDARD FEATURES



FEATURES AND OPTIONS

LENGTHS	10', 12', 14', 16'	BP HITCH	ICC Optional
HEADACHE RACK	Three Piece Tube	SIDE RAILS	Solid One Piece with Rub Rails
OVERHEAD RACK	2 1/2" Square Tube	STAKE SIDES	24" Drop-In Sides and Rear
DECK	1/8" Treadplate	TRAILER PLUG	7 way round, 4 way flat (rear)
FRAME RAILS	4" Structural Channel	REAR LIGHTING	Clear LED Oval (4) Red (2) White
CROSSMEMBERS	3" Roll Formed	MARKER LIGHTING	3/4" Clear Bullet LED
REAR SKIRT	One Piece	TOOLBOX	36" Deck Mount on Both Sides

NOTABLE CB OPTIONS INCLUDE

- ICC Bumper
- Wood, Rubber, or Blackwood Flooring

SZ MODEL STANDARD FEATURES



FEATURES AND OPTIONS

LENGTHS	8'6", 9'4", 11'4"	SIDE RAILS	Tube
HEADACHE RACK	Steel Tube	FUEL FILL	Angled
HEADACHE RACK LIGHTING	Clear LED Oval	12V TRAILER PLUG	Round 7 Pin GN Box, Round 7 Pin/4 Way Flat on Rear
DECK	1/8" Treadplate	REAR LIGHTING	Clear LED Oval
FRAME RAILS	4" Structural Channel Steel	LIGHT BOX (REAR SKIRT)	Steel
CROSSMEMBERS	3" Roll-Formed 3/16" Channel Crossmember	MARKER LIGHTING	Bullet DOT Approved LED
REAR SKIRT	Solid One Piece with Rear Step	TOOLBOX	One Standard on Both Sides in Front
GN HITCH	30K B&W Hitch with Welded Ball	TOOLBOX HANDLE	Black T Handle Compression
BP HITCH	18,500 lb. B&W with Receiver Tube	TIE DOWNS	(4) 24" Airline Track Tiedowns, (4) Attachment Rings

NOTABLE SZ OPTIONS INCLUDE

- 3/16" Heavy-Duty Deck
- 30K B&W Hitch with Turnover Ball
(required for 5th Wheel capability)
- Cargo Light

AL RS MODEL STANDARD FEATURES



FEATURES AND OPTIONS

LENGTHS	84", 8'6", 9'4"	SIDE RAILS	3/8" X 2" Aluminum Extrusion with Aluminum Stake Pockets
HEADACHE RACK	Aluminum Tube	FUEL FILL	Angled (Cast Aluminum)
HEADACHE RACK LIGHTING	Clear LED Oval	REAR LIGHTING	Clear LED Oval
DECK	Extruded Aluminum	LIGHT BOX (REAR SKIRT)	Aluminum
FRAME RAILS	4" Aluminum Channel	MARKER LIGHTING	Bullet DOT Approved LED
REAR SKIRT	14" Solid One Piece Square Back	TOOLBOX	Optional Underbody

NOTABLE AL RS OPTIONS INCLUDE

- Cargo Light
- Underbody Toolbox
- Wood, Rumber or Blackwood Flooring

AL RD MODEL STANDARD FEATURES



FEATURES AND OPTIONS

LENGTHS	84", 8'6", 9'4", 11'4"	BP HITCH	18,500 lb. B&W Hitch with Receiver Tube
HEADACHE RACK	Aluminum Tube	SIDE RAILS	3/8" x 2" Side Rails with Stake Pockets
HEADACHE RACK LIGHTING	Clear LED Oval	FUEL FILL	Angled (Cast Aluminum)
DECK	Extruded Aluminum	12V TRAILER PLUG	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear
FRAME RAILS	4" Structural Channel Steel	REAR LIGHTING	Clear LED Oval
CROSSMEMBERS	3" Aluminum Channel Crossmembers	LIGHT BOX (REAR SKIRT)	Aluminum
REAR SKIRT	Solid One Piece with Tapered Corners	MARKER LIGHTING	Clear Bullet DOT Approved LED
GN HITCH	30K B&W Hitch with Welded Ball	TOOLBOX	Optional Underbody

NOTABLE AL RD OPTIONS INCLUDE

- 3/16" Heavy-Duty Deck
- Aluminum Underbody Toolboxes
- Cargo Light
- Wood, Rubber or Blackwood Flooring

AL SK MODEL STANDARD FEATURES



FEATURES AND OPTIONS

LENGTHS	84", 8'6", 9'4", 11'4"	FUEL FILL	Angled (Cast Aluminum)
HEADACHE RACK	Aluminum Tube	12V TRAILER PLUG	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear
HEADACHE RACK LIGHTING	Clear LED Oval	REAR LIGHTING	Clear LED Oval
DECK	Extruded Aluminum	LIGHT BOX (REAR SKIRT)	Aluminum
FRAME RAILS	4" Structural Channel Steel	MARKER LIGHTING	Clear Bullet DOT Approved LED
CROSSMEMBERS	Aluminum Channel Crossmembers	TOOLBOX	(4) Standard Integrated
REAR SKIRT	Solid One Piece with Rear Step	TOOLBOX HANDLE	Black T Handle Compression
GN HITCH	30K B&W Hitch with Welded Ball	FENDERS	Aluminum Radius
BP HITCH	18,500 lb. B&W Hitch with Receiver Tube	SIDESTEPS	Aluminum Steps In Front Of and Behind Fender
SIDE RAILS	3/8" x 2" Side Rails with Stake Pockets		

NOTABLE AL SK OPTIONS INCLUDE

- 3/16" Heavy-Duty Deck
- Cargo Light
- Wood, Rumber or Blackwood Flooring

AL ER MODEL STANDARD FEATURES



FEATURES AND OPTIONS

LENGTHS	84", 8'6", 9'4", 11'4"	FUEL FILL	Angled (Cast Aluminum)
HEADACHE RACK	One-Piece Aluminum Square Tube	12V TRAILER PLUG	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear
HEADACHE RACK LIGHTING	Clear LED Oval w/ Chrome Housing	REAR LIGHTING	Clear LED Oval w/ Chrome Housing
DECK	1/8" Aluminum Treadplate	LIGHT BOX (REAR SKIRT)	Cast Aluminum
FRAME RAILS	4" Structural Channel Steel	MARKER LIGHTING	Clear Bullet DOT Approved LED
CROSSMEMBERS	3" Roll Formed 3/16" Channel Crossmembers	TOOLBOX	Optional Underbody
REAR SKIRT	Solid One Piece with Rear Step	TOOLBOX HANDLE	Black T Handle Compression
GN HITCH	30K B&W Hitch in Trough	FENDERS	Chrome Radius
BP HITCH	18,500 lb. B&W Hitch with Receiver Tube	SIDESTEPS	Aluminum Steps In Front Of and Behind Fender
SIDE RAILS	Raised Side Rail with Aluminum Cap	TIE DOWNS	(4) 18" Airline Track Tiedowns (4) Attachment Rings

NOTABLE AL ER OPTIONS INCLUDE

- 30K B&W Hitch with Turnover Ball (required for 5th Wheel capability)
- Cargo Light



PRICE GUIDE

FrontlineMotors.Com 717-627-7888

AL PL MODEL STANDARD FEATURES



FEATURES AND OPTIONS

LENGTHS	10', 12', 14', 16', 18', 20', 22' = Standard Duty	REAR SKIRT	One Piece Aluminum
HEADACHE RACK	Aluminum Formed	BP HITCH	ICC optional
DECK	Extruded Aluminum	SIDE RAILS	3/8" x 2" Side Rails with Stake Pockets
FRAME RAILS	4" Aluminum Channel	MARKER LIGHTING	Bullet DOT Approved LED
CROSSMEMBERS	3" Aluminum Channel	TOOLBOX	Optional Underbody

NOTABLE AL PL OPTIONS INCLUDE

- Aluminum Underbody Toolboxes
- Wood, Rubber or Blackwood Flooring
- Aluminum Runners & Crossmembers

SB MODEL STANDARD FEATURES



FEATURES AND OPTIONS

11-Gauge Galvaneal Deck

16-Gauge Galvaneal Body (A60)

Removeable Fender Panel

Stainless Steel Rod & Socket Door Hinges

Gas Cylinder Style Door Holders

LED Rear Lighting with Wiring Harness

Recessed Rear Bumper

1/8" Treadbrite Aluminum Compartment Tops

Automotive Stainless Steel Rotary Latches

Vise Socket in Bumper

Conduit in Understructure

Bolted Body for Secure Attachment

Universal Body and Bumper Mounting Kit

Automotive D-Bulb Weather Stripping

Multi Panel Doors with Internal Reinforcements

Toolbox Interior Powdercoated

Heavy-Duty Rear Tailgate

Two Shelves in the Front, One Shelf in the Rear

NOTABLE SB OPTIONS INCLUDE

- Bolt-On Ladder Racks
- Drop-In Flip-Top Compartments with Automotive Stainless Steel Rotary Latches

- Masterlock Toolbox Door Locking System
- Toolbox

- Slide-Out Drawers
- Slide-Out Bin System

SBA MODEL STANDARD FEATURES



NOTABLE SS OPTIONS INCLUDE

.090 Aluminum Body	Conduit in Understructure
.125 Smooth Aluminum Deck	Bolted Body for Secure Attachment
Removeable Fender Panel	Universal Body and Bumper Mounting Kit
Stainless Steel Rod & Socket Door Hinges	Automotive D Bulb Weather Stripping
Gas Cylinder Style Door Holders	Multi Panel Doors with Internal Reinforcements
LED Rear Lighting with Wiring Harness	Toolbox Interior Powdercoated
Recessed Rear Bumper	Heavy-Duty Rear Tailgate
1/8" Treadbrite Aluminum Compartment Tops	Two Shelves in the Front, One Shelf in the Rear
Automotive Stainless Steel Rotary Latches	
Vise Socket in Bumper	

NOTABLE SBA OPTIONS INCLUDE

- Durable .125 Smooth Aluminum Deck
- Available Rear Bumper Vise Mount for Added Versatility
- Toolboxes with Powdercoated Interiors
- Secure, Stainless-Steel Rotary Latches to Protect Valuable Tools
- Bright, Safe and Hassle-free LED Lighting.



BUILT FOR YOUR SUCCESS. Since 1990, CM Truck Beds has offered a wide range of feature-rich, work-ready products built to withstand the test of time and deliver the ultimate in value. Headquartered in Kingston, Oklahoma, CM Truck Beds has over 150,000 square feet of manufacturing and employs more than 300 experienced laborers and sales associates. We're proud to be the leader in flat-bed truck bodies, and we're dedicated to providing the solutions you need to get the job done.

When searching for a dependable and good-looking truck body that will help on the job site, down the road, or on the ranch, look no further than CM Truck Beds. Our field-tested products fit not only the vehicles they connect with but also the customers who use them, day in and day out. We utilize category-leading hitches, toolbox latches, and headache racks in addition to offering the toughest steel and aluminum beds and service bodies on the market.

Additionally, our strong network includes more than 200 distributors across North America who specialize in aftermarket upfit and installation. Count on superior product quality, large on-hand inventory, and attention to detail throughout the upfitting process. It's this dedication to providing real-world solutions that makes CM Truck Beds the go-to source for hardworking professionals.

FrontlineMotors.Com

717-627-7888

CM
TRUCK BEDS®



833-268-7825 | CMTRUCKBEDS.COM

© 2020 CM Truck Beds.

FrontlineMotors.Com 717-627-7888